ELSEVIER

Journal of Affective Disorders 71 (2002) 283–285

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Agosti, V. and McGrath, P.J.
Comparison of the effects of fluoxetine, imipramine and placebo on personality in atypical depression (71) 113
Allan, S., see Gilbert, P. (71) 141
Allard, P., see Sundman-Eriksson, I. (71) 29
Anisman, H., see Ravindran, A.V. (71) 121
Antikainen, R., see Viinamäki, H. (71) 35
Aoki, S., see Morishita, S. (71) 217
Asaad, T., Okasha, T. and Okasha, A.
Sleep EEG findings in ICD-10 borderline personality disorder in Egypt (71) 11
Aziz, M., see Kronfol, Z. (71) 211

Bakish, D., see Du, L. (71) 235
Bartoli, L., see Maj, M. (71) 195
Basile, V.S., see Levitan, R.D. (71) 229
Batchelder, S.T., see Hellerstein, D.J. (71) 85
Batki, S., see Escamilla, M.A. (71) 71
Beeghly, M., Weinberg, M.K., Olson, K.L., Kernan, H., Riley, J. and Tronick, E.Z.
Stability and change in level of maternal depressive symptomatology during the first postpartum year (71) 169
Berry, J.W., see O'Connor, L.E. (71) 19
Borisovskaya, M., see Hellerstein, D.J. (71) 85
Brar, J.S., see Brar, L.K. (71) 221
Brar, L.K., Brar, J.S., Deily, N.G., Wood, J.A., Reitz, P.M., Kupfer, D.J. and Nimgaonkar, V.L.
Can clinical features of bipolar-I disorder be assessed reliably on the telephone? (71) 221
Brodsky, B., see Khait, V.D. (71) 249
Brough, S., see Gilbert, P. (71) 141
Burke, W.J., see Frank, M.G. (71) 159

Checkley, S., see Sayal, K. (71) 153
Chou, Y.-M., see Su, K.-P. (71) 205
Craddock, N., see Jones, I. (71) 189
Cruz, M.L., see Escamilla, M.A. (71) 71

Deily, N.G., see Brar, L.K. (71) 221
Della Marca, G., see Farina, B. (71) 273
De Risio, S., see Farina, B. (71) 273
Di Giannantonio, M., see Farina, B. (71) 273
Du, L., Bakish, D., Ravindran, A.V. and Hrdina, P.D.
Does fluoxetine influence major depression by modifying five-factor personality traits? (71) 235

Escamilla, M.A., Batki, S., Reus, V.I., Spesny, M., Molina, J., Service, S., Vinogradov, S., Neylan, T., Mathews, C., Meza, L., Gallegos, A., Montero, A.P., Cruz, M.L., Neuhaus, J., Roche, E., Smith, L., Leon, P. and Freimer, N.B.
Comorbidity of bipolar disorder and substance abuse in Costa Rica: pedigree- and population-based studies (71) 71

Farina, B., Della Marca, G., Mennuni, G., Mazza, S., De Risio, S. and Di Giannantonio, M.
The effects of reboxetine on human sleep architecture in depression: preliminary results (71) 273
Frank, M.G., Wieseler Frank, J.L., Hendricks, S.E., Burke, W.J. and Johnson, D.R.
Age at onset of major depressive disorder predicts reductions in NK cell number and activity (71) 159
Freimer, N.B., see Escamilla, M.A. (71) 71

Gale, T.M., see Hawley, C.J. (71) 181
Gallegos, A., see Escamilla, M.A. (71) 71
Gilbert, P., Allan, S., Brough, S., Melley, S. and Miles, J.N.V.
Relationship of anhedonia and anxiety to social rank, defeat and entrapment (71) 141
Gilbert, P., see O'Connor, L.E. (71) 19
Gotlib, I.H., see Rottenberg, J. (71) 265
Griffiths, J., see Ravindran, A.V. (71) 121
Gross, J.J., see Rottenberg, J. (71) 265

Hakko, H., see Räsänen, P. (71) 51
Harris, T., see Sayal, K. (71) 153
Hawley, C.J., Gale, T.M. and Sivakumaran, T.
How does the threshold score to enter a major depression trial influence the size of the available patient population for study? (71) 181
Hellerstein, D.J., Batchelder, S.T., Lee, A. and Borisovskaya, M.
Rating dysthymia: an assessment of the construct and content validity of the Cornell Dysthymia Rating Scale (71) 85
Hendricks, S.E., see Frank, M.G. (71) 159
Hintikka, J., see Viinamäki, H. (71) 35
Honkalampi, K., see Viinamäki, H. (71) 35
Howe, J., see Schaffer, L.C. (71) 259
Hrdina, P.D., see Du, L. (71) 235
Huang, Y.-Yu., see Khait, V.D. (71) 249

Jacobs, C., see Sayal, K. (71) 153

PII: S0165-0327(02)00256-2

Jain, U., see Levitan, R.D. (71) 229
Jenner, J.A., see van Os, T.W.D.P. (71) 105
Johnson, D.R., see Frank, M.G. (71) 159
Jokelainen, J., see Räsänen, P. (71) 51
Jones, I., Scourfield, J., McCandless, F. and Craddock, N.
Attitudes towards future testing for bipolar disorder susceptibility genes: a preliminary investigation (71) 189
Jones, R., Yates, W.R. and Zhou, M.H.
Readmission rates for adjustment disorders: comparison with other mood disorders (71) 199

Kaplan, A.S., see Levitan, R.D. (71) 229
Kaustio, O., Partanen, J., Valkonen-Korhonen, M., Viinamäki, H. and Lehtonen, J.
Affective and psychotic symptoms relate to different types of P300 alteration in depressive disorder (71) 43
Kennedy, J.L., see Levitan, R.D. (71) 229
Kennedy, S.H., see Levitan, R.D. (71) 229
Kernan, H., see Beeghly, M. (71) 169
Khait, V.D., Huang, Y.-Yu., Malone, K.M., Oquendo, M., Brodsky, B., Sher, L. and Mann, J.J.
Is there circannual variation of human platelet 5-HT_{2A} binding in depression? (71) 249
Kiziltan, E., see Yazici, O. (71) 97
Koivumaa-Honkanen, H., see Viinamäki, H. (71) 35
Kora, K., see Yazici, O. (71) 97
Kronfol, Z., Nair, M.P., Weinberg, V., Young, E.A. and Aziz, M.
Acute effects of electroconvulsive therapy on lymphocyte natural killer cell activity in patients with major depression (71) 211
Kuisma, S., see Viinamäki, H. (71) 35
Kupfer, D.J., see Brar, L.K. (71) 221

Lam, R.W., see Levitan, R.D. (71) 229
Lam, R.W., see Levitt, A.J. (71) 243
Lee, A., see Hellerstein, D.J. (71) 85
Lehtonen, J., see Kaustio, O. (71) 43
Lehtonen, J., see Viinamäki, H. (71) 35
Leon, P., see Escamilla, M.A. (71) 71
Leu, S.-J.C., see Su, K.-P. (71) 205
Levitan, R., see Levitt, A.J. (71) 243
Levitan, R.D., Masellis, M., Basile, V.S., Lam, R.W., Jain, U., Kaplan, A.S., Kennedy, S.H., Siegel, G., Walker, M.L., Vaccarino, F.J. and Kennedy, J.L.
Polymorphism of the serotonin-2A receptor gene (HTR2A) associated with childhood attention deficit hyperactivity disorder (ADHD) in adult women with seasonal affective disorder (71) 229
Levitt, A.J., Lam, R.W. and Levitan, R.
A comparison of open treatment of seasonal major and minor depression with light therapy (71) 243
Li, J., McCombs, J.S. and Stimmel, G.L.
Cost of treating bipolar disorder in the California Medicaid (Medi-Cal) program (71) 131

Magliano, L., see Maj, M. (71) 195
Maj, M., Pirozzi, R., Bartoli, L. and Magliano, L.
Long-term outcome of lithium prophylaxis in bipolar disorder with mood-incongruent psychotic features: a prospective study (71) 195
Malone, K.M., see Khait, V.D. (71) 249
Mann, J.J., see Khait, V.D. (71) 249
Masellis, M., see Levitan, R.D. (71) 229
Matheson, K., see Ravindran, A.V. (71) 121
Mathews, C., see Escamilla, M.A. (71) 71
Mazza, S., see Farina, B. (71) 273
McCandless, F., see Jones, I. (71) 189
McCombs, J.S., see Li, J. (71) 131
McGrath, P.J., see Agosti, V. (71) 113
McMeekin, H.
Autonomic peripheral vascular dysregulation and mood disorder (71) 277
Melley, S., see Gilbert, P. (71) 141
Mennuni, G., see Farina, B. (71) 273
Merali, Z., see Ravindran, A.V. (71) 121
Meza, L., see Escamilla, M.A. (71) 71
Miles, J.N.V., see Gilbert, P. (71) 141
Molina, J., see Escamilla, M.A. (71) 71
Möller-Leimkühler, A.M.
Barriers to help-seeking by men: a review of sociocultural and clinical literature with particular reference to depression (71) 1
Montero, A.P., see Escamilla, M.A. (71) 71
Morishita, S. and Aoki, S.
Clonazepam augmentation of antidepressants: does it distinguish unipolar from bipolar depression? (71) 217
Mufson, L., Nomura, Y. and Warner, V.
The relationship between parental diagnosis, offspring temperament and offspring psychopathology: a longitudinal analysis (71) 61

Nair, M.P., see Kronfol, Z. (71) 211
Neuhaus, J., see Escamilla, M.A. (71) 71
Neylan, T., see Escamilla, M.A. (71) 71
Nimgaonkar, V.L., see Brar, L.K. (71) 221
Nomura, Y., see Mufson, L. (71) 61

O'Connor, L.E., Berry, J.W., Weiss, J. and Gilbert, P.
Guilt, fear, submission, and empathy in depression (71) 19
Okasha, A., see Asaad, T. (71) 11
Okasha, T., see Asaad, T. (71) 11
Olson, K.L., see Beeghly, M. (71) 169
Oquendo, M., see Khait, V.D. (71) 249
Ormel, J., see van Os, T.W.D.P. (71) 105
Özdemir, Ö., see Yazici, O. (71) 97
Özpulat, T., see Yazici, O. (71) 97

Papadopoulos, A., see Sayal, K. (71) 153
Partanen, J., see Kaustio, O. (71) 43
Pirozzi, R., see Maj, M. (71) 195
Poon, L., see Sayal, K. (71) 153

Räsänen, P., Hakko, H., Jokelainen, J. and Tiihonen, J.
Seasonal variation in specific methods of suicide: a national register study of 20 234 Finnish people (71) 51

Ravindran, A.V., see Du, L. (71) 235
Ravindran, A.V., Matheson, K., Griffiths, J., Merali, Z. and Anisman, H.
Stress, coping, uplifts, and quality of life in subtypes of depression: a conceptual frame and emerging data (71) 121
Rees, M., see Sayal, K. (71) 153
Reitz, P.M., see Brar, L.K. (71) 221
Reus, V.I., see Escamilla, M.A. (71) 71
Riley, J., see Beeghly, M. (71) 169
Roche, E., see Escamilla, M.A. (71) 71
Rottenberg, J., Wilhelm, F.H., Gross, J.J. and Gotlib, I.H.
Respiratory sinus arrhythmia as a predictor of outcome in major depressive disorder (71) 265

Sayal, K., Checkley, S., Rees, M., Jacobs, C., Harris, T., Papadopoulos, A. and Poon, L.
Effects of social support during weekend leave on cortisol and depression ratings: a pilot study (71) 153
Saylan, M., see Yazici, O. (71) 97
Schaffer, C.B., see Schaffer, L.C. (71) 259
Schaffer, L.C., Schaffer, C.B. and Howe, J.
An open case series on the utility of tiagabine as an augmentation in refractory bipolar outpatients (71) 259
Scourfield, J., see Jones, I. (71) 189
Service, S., see Escamilla, M.A. (71) 71
Shen, W.W., see Su, K.-P. (71) 205
Sher, L., see Khait, V.D. (71) 249
Siegel, G., see Levitan, R.D. (71) 229
Sivakumaran, T., see Hawley, C.J. (71) 181
Smith, L., see Escamilla, M.A. (71) 71
Spesny, M., see Escamilla, M.A. (71) 71
Stimmel, G.L., see Li, J. (71) 131
Su, K.-P., Leu, S.-J.C., Yang, Y.-Y., Shen, W.W., Chou, Y.-M. and Tsai, S.-Y.M.
Reduced production of interferon-gamma but not interleukin-10 in bipolar mania and subsequent remission (71) 205
Sundman-Eriksson, I. and Allard, P.
[^{3}H]Tiagabine binding to GABA transporter-1 (GAT-1) in suicidal depression (71) 29

Tanskanen, A., see Viinamäki, H. (71) 35
Tiemens, B.G., see van Os, T.W.D.P. (71) 105
Tiihonen, J., see Räsänen, P. (71) 51
Tronick, E.Z., see Beeghly, M. (71) 169
Tsai, S.-Y.M., see Su, K.-P. (71) 205
Üçok, A., see Yazici, O. (71) 97

Vaccarino, F.J., see Levitan, R.D. (71) 229
Valkonen-Korhonen, M., see Kaustio, O. (71) 43
van den Brink, R.H.S., see van Os, T.W.D.P. (71) 105
van der Meer, K., see van Os, T.W.D.P. (71) 105
van Os, T.W.D.P., van den Brink, R.H.S., Jenner, J.A., van der Meer, K., Tiemens, B.G. and Ormel, J.
Effects on depression pharmacotherapy of a Dutch general practitioner training program (71) 105
Viinamäki, H., Hintikka, J., Honkalampi, K., Koivumaa-Honkanen, H., Kuisma, S., Antikainen, R., Tanskanen, A. and Lehtonen, J.
Cluster C personality disorder impedes alleviation of symptoms in major depression (71) 35
Viinamäki, H., see Kaustio, O. (71) 43
Vinogradov, S., see Escamilla, M.A. (71) 71

Walker, M.L., see Levitan, R.D. (71) 229
Warner, V., see Mufson, L. (71) 61
Weinberg, M.K., see Beeghly, M. (71) 169
Weinberg, V., see Kronfol, Z. (71) 211
Weiss, J., see O'Connor, L.E. (71) 19
Wieseler Frank, J.L., see Frank, M.G. (71) 159
Wilhelm, F.H., see Rottenberg, J. (71) 265
Wood, J.A., see Brar, L.K. (71) 221

Yang, Y.-Y., see Su, K.-P. (71) 205
Yates, W.R., see Jones, R. (71) 199
Yazici, O., Kora, K., Üçok, A., Saylan, M., Özdemir, Ö., Kiziltan, E. and Özpulat, T.
Unipolar mania: a distinct disorder? (71) 97
Young, E.A., see Kronfol, Z. (71) 211

Zhou, M.H., see Jones, R. (71) 199

ELSEVIER

Journal of Affective Disorders 71 (2002) 286–288

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Adjustment disorders; Readmission; Construct validity **71,** 199

Affective dysregulation; Sleep EEG; Borderline personality; Depression **71,** 11

Affective symptoms; Depressive disorder; P300; Psychotic symptoms **71,** 43

Alcoholism; Bipolar disorder; Genetics; Substance abuse **71,** 71

Antidepressant therapy; Depression; Primary care; Training **71,** 105

Anxiety; Temperament; Depression; Psychopathology **71,** 61

Attention deficit disorder; Seasonal affective disorder; Genetics; Serotonin-2A receptor **71,** 229

Atypical; Depression; Dysthymia; Typical; Treatment-resistant; Stress; Coping; Quality of life **71,** 121

Atypical depression; TCI; Personality **71,** 113

Bipolar depression; Clonazepam; Unipolar depression **71,** 217

Bipolar disorder; Genetics; Substance abuse; Alcoholism **71,** 71

Bipolar disorder; Genetic testing; Ethics **71,** 189

Bipolar disorder; Lithium; Psychotic features; Long-term outcome **71,** 195

Bipolar disorder; Tiagabine; Refractory; Outpatient **71,** 259

Bipolar disorder I; Telephone; Interview; Reliability **71,** 221

Bipolar disorder in Taiwan; Immune modulation; Interferon-γ; Interleukin-10; Mania **71,** 205

Borderline personality; Sleep EEG; Depression; Affective dysregulation **71,** 11

Circannual variation; Human platelet; Serotonin 5-HT_{2A} receptor; Moving average; Fourier series **71,** 249

Clonazepam; Unipolar depression; Bipolar depression **71,** 217

Construct validity; Readmission; Adjustment disorders **71,** 199

Coping; Depression; Dysthymia; Typical; Atypical; Treatment-resistant; Stress; Quality of life **71,** 121

Cortisol; Social support; Weekend leave; Depression; Hassles **71,** 153

Depression; Sleep EEG; Borderline personality; Affective dysregulation **71,** 11

Depression; Guilt; Empathy; Psychopathology; Evolution **71,** 19

Depression; Suicide; Human brain; GABA transporter-1 (GAT-1); [^{3}H]Tiagabine **71,** 29

Depression; Temperament; Anxiety; Psychopathology **71,** 61

Depression; Antidepressant therapy; Primary care; Training **71,** 105

Depression; Dysthymia; Typical; Atypical; Treatment-resistant; Stress; Coping; Quality of life **71,** 121

Depression; Social support; Cortisol; Weekend leave; Hassles **71,** 153

Depression; Immune function; NK cell **71,** 159

Depression; RCT; HAM-D; MÅDRS; Entry criteria **71,** 181

Depression; NEO five-factor inventory; Fluoxetine; Treatment response **71,** 235

Depression; Seasonal depression; Light therapy; Subsyndromal depression **71,** 243

Depression; Reboxetine; EEG sleep; Sleep disorders **71,** 273

Depressive disorder; P300; Affective symptoms; Psychotic symptoms **71,** 43

Depressive symptomatology; Mothers; Stability; Diagnosed depression; Infant gender **71,** 169

Depressive symptoms; Help-seeking; Symptom perception; Masculinity; Social norms **71,** 1

Diagnosed depression; Mothers; Depressive symptomatology; Stability; Infant gender **71,** 169

Dysthymia; Depression; Typical; Atypical; Treatment-resistant; Stress; Coping; Quality of life **71,** 121

Dysthymic disorder; Rating scales; Test validation **71,** 85

EEG sleep; Reboxetine; Depression; Sleep disorders **71,** 273

Empathy; Depression; Guilt; Psychopathology; Evolution **71,** 19

Entry criteria; Depression; RCT; HAM-D; MÅDRS **71,** 181

Ethics; Genetic testing; Bipolar disorder **71,** 189

Evolution; Depression; Guilt; Empathy; Psychopathology **71,** 19

Fluoxetine; Depression; NEO five-factor inventory; Treatment response **71,** 235

PII: S0165-0327(02)00257-4

Fourier series; Circannual variation; Human platelet; Serotonin 5-HT_{2A} receptor; Moving average **71,** 249

GABA transporter-1 (GAT-1); Depression; Suicide; Human brain; [^{3}H]Tiagabine **71,** 29

Genetic testing; Bipolar disorder; Ethics **71,** 189

Genetics; Bipolar disorder; Substance abuse; Alcoholism **71,** 71

Genetics; Seasonal affective disorder; Attention deficit disorder; Serotonin-2A receptor **71,** 229

Guilt; Depression; Empathy; Psychopathology; Evolution **71,** 19

HAM-D; Depression; RCT; MÅDRS; Entry criteria **71,** 181

Hassles; Social support; Cortisol; Weekend leave; Depression **71,** 153

Help-seeking; Depressive symptoms; Symptom perception; Masculinity; Social norms **71,** 1

Human brain; Depression; Suicide; GABA transporter-1 (GAT-1); [^{3}H]Tiagabine **71,** 29

Human platelet; Circannual variation; Serotonin 5-HT_{2A} receptor; Moving average; Fourier series **71,** 249

Immune function; Depression; NK cell **71,** 159

Immune modulation; Interferon-γ; Interleukin-10; Bipolar disorder in Taiwan; Mania **71,** 205

Infant gender; Mothers; Depressive symptomatology; Stability; Diagnosed depression **71,** 169

Interferon-γ; Immune modulation; Interleukin-10; Bipolar disorder in Taiwan; Mania **71,** 205

Interleukin-10; Immune modulation; Interferon-γ; Bipolar disorder in Taiwan; Mania **71,** 205

Interview; Telephone; Bipolar disorder I; Reliability **71,** 221

Light therapy; Depression; Seasonal depression; Subsyndromal depression **71,** 243

Lithium; Mood disorders; Unipolar mania; Polarity; Psychosis **71,** 97

Lithium; Bipolar disorder; Psychotic features; Long-term outcome **71,** 195

Long-term outcome; Lithium; Bipolar disorder; Psychotic features **71,** 195

Major depression; Respiratory sinus arrhythmia; Self-regulation; Outcome **71,** 265

Mania; Immune modulation; Interferon-γ; Interleukin-10; Bipolar disorder in Taiwan **71,** 205

Masculinity; Help-seeking; Depressive symptoms; Symptom perception; Social norms **71,** 1

MÅDRS; Depression; RCT; HAM-D; Entry criteria **71,** 181

Method; Suicide; Violent; Non-violent **71,** 51

Mood disorders; Unipolar mania; Polarity; Lithium; Psychosis **71,** 97

Mothers; Depressive symptomatology; Stability; Diagnosed depression; Infant gender **71,** 169

Moving average; Circannual variation; Human platelet; Serotonin 5-HT_{2A} receptor; Fourier series **71,** 249

NEO five-factor inventory; Depression; Fluoxetine; Treatment response **71,** 235

NK cell; Depression; Immune function **71,** 159

Non-violent; Suicide; Method; Violent **71,** 51

Outcome; Major depression; Respiratory sinus arrhythmia; Self-regulation **71,** 265

Outpatient; Tiagabine; Refractory; Bipolar disorder **71,** 259

P300; Depressive disorder; Affective symptoms; Psychotic symptoms **71,** 43

Personality; TCI; Atypical depression **71,** 113

Polarity; Mood disorders; Unipolar mania; Lithium; Psychosis **71,** 97

Primary care; Depression; Antidepressant therapy; Training **71,** 105

Psychopathology; Depression; Guilt; Empathy; Evolution **71,** 19

Psychopathology; Temperament; Depression; Anxiety **71,** 61

Psychosis; Mood disorders; Unipolar mania; Polarity; Lithium **71,** 97

Psychotic features; Lithium; Bipolar disorder; Long-term outcome **71,** 195

Psychotic symptoms; Depressive disorder; P300; Affective symptoms **71,** 43

Quality of life; Depression; Dysthymia; Typical; Atypical; Treatment-resistant; Stress; Coping **71,** 121

Rating scales; Dysthymic disorder; Test validation **71,** 85

RCT; Depression; HAM-D; MÅDRS; Entry criteria **71,** 181

Readmission; Adjustment disorders; Construct validity **71,** 199

Reboxetine; EEG sleep; Depression; Sleep disorders **71,** 273

Refractory; Tiagabine; Outpatient; Bipolar disorder **71,** 259

Reliability; Telephone; Interview; Bipolar disorder I **71,** 221

Respiratory sinus arrhythmia; Major depression; Self-regulation; Outcome **71,** 265

Seasonal affective disorder; Attention deficit disorder; Genetics; Serotonin-2A receptor **71,** 229

Seasonal depression; Depression; Light therapy; Subsyndromal depression **71,** 243

Self-regulation; Major depression; Respiratory sinus arrhythmia; Outcome **71,** 265

Serotonin 5-HT$_{2A}$ receptor; Circannual variation; Human platelet; Moving average; Fourier series **71,** 249

Serotonin-2A receptor; Seasonal affective disorder; Attention deficit disorder; Genetics **71,** 229

Sleep disorders; Reboxetine; EEG sleep; Depression **71,** 273

Sleep EEG; Borderline personality; Depression; Affective dysregulation **71,** 11

Social norms; Help-seeking; Depressive symptoms; Symptom perception; Masculinity **71,** 1

Social support; Cortisol; Weekend leave; Depression; Hassles **71,** 153

Stability; Mothers; Depressive symptomatology; Diagnosed depression; Infant gender **71,** 169

Stress; Depression; Dysthymia; Typical; Atypical; Treatment-resistant; Coping; Quality of life **71,** 121

Substance abuse; Bipolar disorder; Genetics; Alcoholism **71,** 71

Subsyndromal depression; Depression; Seasonal depression; Light therapy **71,** 243

Suicide; Depression; Human brain; GABA transporter-1 (GAT-1); [^{3}H]Tiagabine **71,** 29

Suicide; Method; Violent; Non-violent **71,** 51

Symptom perception; Help-seeking; Depressive symptoms; Masculinity; Social norms **71,** 1

TCI; Personality; Atypical depression **71,** 113

Telephone; Interview; Bipolar disorder I; Reliability **71,** 221

Temperament; Depression; Anxiety; Psychopathology **71,** 61

Test validation; Dysthymic disorder; Rating scales **71,** 85

Tiagabine; Refractory; Outpatient; Bipolar disorder **71,** 259

[^{3}H]Tiagabine; Depression; Suicide; Human brain; GABA transporter-1 (GAT-1) **71,** 29

Training; Depression; Antidepressant therapy; Primary care **71,** 105

Treatment response; Depression; NEO five-factor inventory; Fluoxetine **71,** 235

Treatment-resistant; Depression; Dysthymia; Typical; Atypical; Stress; Coping; Quality of life **71,** 121

Typical; Depression; Dysthymia; Atypical; Treatment-resistant; Stress; Coping; Quality of life **71,** 121

Unipolar depression; Clonazepam; Bipolar depression **71,** 217

Unipolar mania; Mood disorders; Polarity; Lithium; Psychosis **71,** 97

Violent; Suicide; Method; Non-violent **71,** 51

Weekend leave; Social support; Cortisol; Depression; Hassles **71,** 153